

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 03/11/2016 Revision date: 11/14/2016 Version: 1.1

SECTION 1: IDENTIFICATION

1.1. PRODUCT IDENTIFIER

Product name : SKL-SP2 Aerosol
Product code : Not available

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture : Non-Destructive Testing

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer Distributor

Magnaflux 155 Harlem Ave. Glenview, IL 60025 - USA T: 847-657-5300

1.4. EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS classification

Flam. Aerosol 2 Liquefied gas Asp. Tox. 1 Simple Asphy

2.2. LABEL ELEMENTS

GHS labelling

Hazard pictograms (GHS)



 \Diamond

GHS04



GHS02
Signal word (GHS) : Danger

Hazard statements (GHS) : Flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if

swallowed and enters airways. May displace oxygen and cause rapid suffocation.

Precautionary statements (GHS) : Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated

place. Store locked up. Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3. OTHER HAZARDS

No additional information available

2.4. UNKNOWN ACUTE TOXICITY (GHS)

Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. SUBSTANCE

Not applicable.

11/14/2016 EN (English) Page 1



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

MIXTURE 3.2.

Name	Product identifier	%
Petroleum gases, liquefied, sweetened	(CAS No) 68476-86-8	54.00
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	33.67
Distillates, petroleum, hydrotreated light naphthenic	(CAS No) 64742-53-6	3.58

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES 4.1

First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Get

medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

First-aid measures after eye contact In case of contact, immediately flush eyes with plenty of water. If easy to do, remove contact

lenses, if worn. Get medical attention if irritation occurs.

: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. First-aid measures after ingestion

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/injuries after inhalation : May cause respiratory tract irritation. May displace oxygen and cause rapid suffocation. May

cause cardiac arrhythmia.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear Symptoms/injuries after eye contact

production, with possible redness and swelling.

: May be harmful if swallowed. May cause stomach distress, nausea or vomiting. May be fatal if Symptoms/injuries after ingestion

swallowed and enters airways. This product may be aspirated into the lungs and cause

chemical pneumonitis.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED 4.3.

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA 5.1.

Suitable extinguishing media : Water fog. Water spray. Foam. Carbon dioxide. Dry chemical.

: Do not use water jet. Unsuitable extinguishing media

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE 5.2

Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of

carbon, oxides of nitrogen and oxides of sulfur.

: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of Explosion hazard

burns and injuries.

ADVICE FOR FIREFIGHTERS 5.3.

: DO NOT fight fire when fire reaches explosives. Evacuate area. Firefighting instructions

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

: Remove ignition sources. Use special care to avoid static electric charges. Use personal General measures

protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary

and unprotected personnel.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP 6.2

For containment Stop leak, if possible without risk. Move containers from spill area. Use only non-sparking tools.

Use explosion-proof equipment. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter

waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

6.3 REFERENCE TO OTHER SECTIONS

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

11/14/2016 EN (English)



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Additional hazards when processed : Keep away from sources of ignition - No smoking. Hazardous waste due to potential risk of

explosion. Pressurized container: Do not pierce or burn, even after use.

Precautions for safe handling : Do not spray on an open flame or other ignition source. Use non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharge. Avoid breathing

proof equipment. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Do not swallow. Handle

and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep locked up and out of reach of children. Store in original container protected from direct

sunlight in a dry, cool and well-ventilated area, away from incompatibles. Do not expose to

temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

7.3. SPECIFIC END USE(S)

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

Petroleum gases, liquefied, sweetened (68476-86-8)				
ACGIH	ACGIH STEL (ppm)	1000 ppm		
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		

Petroleum distillates, hydrotreated light (64742-47-8)			
ACGIH	ACGIH RCP-TWA (mg/m³)	1200 mg/m³ (143 ppm) (total hydrocarbons; supplier exposure limits)	
OSHA	Not applicable		

Distillates, petroleum, hydrotreated light naphthenic (64742-53-6)				
ACGIH	Not applicable			
OSHA	Not applicable			

8.2. EXPOSURE CONTROLS

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Safety glasses with side-shields. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Gas/Pressurized Liquid

Appearance : Oily
Colour : Dark red
Odour : Mild oily

Odour threshold : No data available

pH : Neutral

Melting point : No data available Freezing point : No data available

11/14/2016 EN (English) 3/6



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Boiling point : No data available
Flash point : Not applicable
Relative evaporation rate (butylacetate=1) : No data available
Flammability (solid, gas) : Flammable
Explosive limits : No data available

Explosive properties : Pressurised container: May burst if heated.

: No data available Oxidising properties Vapour pressure : No data available : No data available Relative density Relative vapour density at 20 °C : No data available Solubility : No data available Partition coefficient: n-octanol/water : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

9.2. OTHER INFORMATION

VOC content : 506.81 g/l
Heat of combustion : 17,455 Btu/lb

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2. CHEMICAL STABILITY

Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4. CONDITIONS TO AVOID

Sources of ignition. Heat. Incompatible materials.

10.5. INCOMPATIBLE MATERIALS

Strong oxidizing agents.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon, oxides of nitrogen and oxides of sulfur.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity : Not classified.

SKL-SP2 Aerosol		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	> 5 mg/l/4h	
Petroleum distillates, hydrotreated light (64742-47-8)		
LD50 oral rat	> 5000 ma/ka	

 LD50 dermal rabbit
 > 5000 mg/kg

 LC50 inhalation rat
 > 5000 mg/m³/4h

 Skin corrosion/irritation
 : Based on available data, the classification criteria are not met.

 Serious eye damage/irritation
 : Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation : Based on available data, the classification criteria are not met.

11/14/2016 EN (English) 4/6



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Germ cell mutagenicity	:	Based on available data, the classification criteria are not met.
Carcinogenicity	:	Based on available data, the classification criteria are not met.
Reproductive toxicity	:	Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	:	Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	:	Based on available data, the classification criteria are not met.
Aspiration hazard	:	May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	:	May cause respiratory tract irritation. May displace oxygen and cause rapid suffocation. May cause cardiac arrhythmia.
Symptoms/injuries after skin contact	:	May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	:	May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting. May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. PERSISTENCE AND DEGRADABILITY

SKL-SP2 Aerosol		
Persistence and degradability		Not established.
12.3. BIOACCUMULATIVE POTENTIAL		

SKL-SP2 Aerosol		
Bioaccumulative potential	Not established.	

12.4. **MOBILITY IN SOIL**

No additional information available

12.5. OTHER ADVERSE EFFECTS

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Pressurized container: Do not pierce or burn, even after use. Flammable vapours may

accumulate in the container.

SECTION 14: TRANSPORT INFORMATION

In accordance with DOT/TDG/IATA/IMDG

DOT Ground : Consumables, Limited Quantity TDG : Consumables, Limited Quantity IATA : UN 1950, Aerosols, Flammable, 2.1 **IMDG** : UN 1950, Aerosols, 2.1 (Limited Quantity)

ADDITIONAL INFORMATION

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

11/14/2016 EN (English)



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 15: REGULATORY INFORMATION

15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

NFPA health hazard : 1
NFPA fire hazard : 4
NFPA reactivity : 0



15.2. US STATE REGULATIONS

SKL-SP2 Aerosol	
State or local regulations	This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

SECTION 16: OTHER INFORMATION

 Date of issue
 : 03/11/2016

 Revision date
 : 11/14/2016

 Version
 : 1.1

 Other information
 : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

11/14/2016 EN (English) 6/6